

ARISTA

Platform-Specific Security Features Guide

Platform-Specific
Security Features Guide



[Arista.com](https://arista.com)

Arista Networks

DOC-xxxx-xx

Headquarters	Support	Sales
5453 Great America Parkway Santa Clara, CA 95054 USA +1-408-547-5500	+1-408-547-5502 +1-866-476-0000	+1-408-547-5501 +1-866-497-0000
www.arista.com/en/	support@arista.com	sales@arista.com

© Copyright 2025 Arista Networks, Inc. All rights reserved. The information contained herein is subject to change without notice. The trademarks, logos, and service marks ("Marks") displayed in this documentation are the property of Arista Networks in the United States and other countries. Use of the Marks is subject to the Arista Networks Terms of Use Policy, available at www.arista.com/en/terms-of-use. Use of marks belonging to other parties is for informational purposes only.

Contents

- Chapter 1: Secure Boot..... 1**
 - 1.1 Secure Boot Supported (Disabled by Default)..... 1
 - 1.2 Secure Boot Supported (Enabled by Default)..... 5

Secure Boot

Secure Boot is a feature of Arista hardware that enables an operator to only allow signed EOS images to boot on that hardware.

Secure Boot leverages a Trusted Platform Module (TPM) chip embedded into Arista platforms.

1.1 Secure Boot Supported (Disabled by Default)

The following Arista switch products support Secure Boot (disabled by default):

SKU:	
CCS-710P-12	DCS-7280CR3A-72
CCS-710P-16P	DCS-7280CR3AK-24D12
-	DCS-7280CR3AK-32S
CCS-720DF-48Y-F	DCS-7280CR3AK-48D6
CCS-720DF-48Y-2F	DCS-7280CR3AK-72
CCS-720DF-48Y-DC	DCS-7280CR3AM-24D12
CCS-720DF-48Y-DC-2	DCS-7280CR3AM-32S
CCS-720DP-24S	DCS-7280CR3AM-48D6
CCS-720DP-24S-2	DCS-7280CR3AM-72
CCS-720DP-24ZS	DCS-7280CR3K-32D4
CCS-720DP-24ZS-2	DCS-7280CR3K-32D4A
CCS-720DP-48S	DCS-7280CR3K-32P4A
CCS-720DP-48S-2	DCS-7280CR3K-32P4
CCS-720DP-48ZS	DCS-7280CR3K-36S
CCS-720DP-48ZS-2	DCS-7280CR3K-36A
CCS-720DT-24S	DCS-7280CR3K-96
CCS-720DT-24S-2	DCS-7280CR3MK-32D4
CCS-720DT-48S-2	DCS-7280CR3MK-32D4S
CCS-720XP-96ZC2-F	DCS-7280CR3MK-32P4
CCS-722XPM-48Y4-F	DCS-7280CR3MK-32P4S
CCS-722XPM-48ZY8-F	DCS-7280DR3-24
-	DCS-7280DR3-24-M
CCS-750-SUP25	DCS-7280DR3A-36
CCS-750-SUP100	DCS-7280DR3AK-36
-	DCS-7280DR3AM-36
DCS-7010TX-48	DCS-7280DR3A-54

SKU:	
DCS-7010TX-48C	DCS-7280DR3AK-54
DCS-7010TX-48C-DC	DCS-7280DR3AM-54
DCS-7010TX-48C-DC-RV3	DCS-7280DR3K-24
-	DCS-7280PR3-24
DCS-7050CX3-32C	DCS-7280PR3-24-M
DCS-7050CX3M-32S	DCS-7280PR3K-24
DCS-7050SX3-48YC8	DCS-7280SR3-40YC6
DCS-7050SX3-48C8	DCS-7280SR3-48YC8
DCS-7050SX3-48C8C	DCS-7280SR3A-48YC8
DCS-7050SX3-48YC8C	DCS-7280SR3AK-48YC8
DCS-7050SX3-96YC8	DCS-7280SR3AM-48YC8
DCS-7050TX3-48C8	DCS-7280SR3E-40YC6
-	DCS-7280SR3E-40YC6-M
DCS-7050CX4-24D8	DCS-7280SR3K-48YC8
DCS-7050CX4M-48D8	DCS-7280SR3K-48YC8A
DCS-7050DX4-32S	DCS-7280SR3M-48YC8
DCS-7050DX4M-32S	DCS-7280TR3-40C6-F
DCS-7050PX4-32S	-
DCS-7050SDX4-48D8	DCS-7800-SUP
DCS-7050SPX4-48D8	DCS-7800-SUP1A
-	DCS-7816-SUP
DCS-7060CX5-56D8	DCS-7289-SUP-D
DCS-7060DX5-32	DCS-7300-SUP2-D
DCS-7060DX5-64	
DCS-7060DX5-64E	
DCS-7060DX5-64S	

SKU:	
DCS-7060PX5-64E	
-	
DCS-7130B-32QD	
DCS-7130LBR-48S6QD	
DCS-7132LB-48Y4C	
DCS-7135LB-48Y4C	
-	
DCS-7170B-64C	
-	
DCS-7280CR3-32D4	
DCS-7280CR3-32D4-M	
DCS-7280CR3-32P4	
DCS-7280CR3-32P4-M	
DCS-7280CR3-36S	
DCS-7280CR3-96	
DCS-7280CR3A-24D12	
DCS-7280CR3A-32S	

1.2 Secure Boot Supported (Enabled by Default)

The following Arista switch products support Secure Boot (enabled by default):

SKU:	
AWE-5310	DCS-7060X6-64PE
AWE-5510	-
AWE-7220RP-5TH-2S	DCS-7280CR3AK-24D12-S
AWE-7230R-4TX-4S	DCS-7280CR3MK-32D4A-S
AWE-7250R-16S	DCS-7280DR3AK-36S
ZTX-7250S-16S	DCS-7280SR3MK-48YC8A-S
-	-
CCS-720DF-48Y-M-S-2	DCS-7001-SUP-A
CCS-720DP-24S-M-S-2	DCS-7800-SUP1S
CCS-720DT-24S-M-S-2	DCS-7816-SUP1S
CCS-720XP-48TXH-2C-S	DCS-7289-SUP-S-D
CCS-720XP-96ZC2-M-S	DCS-7388-SUP
-	
DCS-7050SX3-24YC4C-S	