ARISTA

i sound	(111)	
(i prod		1
1		
1		

(1	

QUICK START GUIDE

750 Series Modular Cognitive Campus Switches

CCS-755 CCS-758



Arista.com

Arista Networks

DOC-04730-04

Headquarters	Support	Sales
5453 Great America Parkway Santa Clara, CA 95054 USA		
+1-408-547-5500	+1-408-547-5502 +1-866-476-0000	+1-408-547-5501 +1-866-497-0000
www.arista.com/en/	support@arista.com	sales@arista.com

© Copyright 2025 Arista Networks, Inc. All rights reserved. The information contained herein is subject to change without notice. The trademarks, logos, and service marks ("Marks") displayed in this documentation are the property of Arista Networks in the United States and other countries. Use of the Marks is subject to the Arista Networks Terms of Use Policy, available at www.arista.com/en/terms-of-use. Use of marks belonging to other parties is for informational purposes only.

Contents

Chapter 1: Overview	1
1.1 Scope	1
1.2 Receiving and Inspecting the Equipment	1
1.3 Installation Process	1
1.4 Safety Information	2
1.5 Obtaining Technical Assistance	
1.6 Specifications	3
Chapter 2: Proparation	5
	J
2.1 Site Selection	5
2.2 Tools and Parts Required for Installation.	0
2.3 Electrostatic Discharge (ESD) Precautions	
Chapter 3: Rack Mounting the Switch	8
3.1 Two-post Rack Mount	
3.1.1 Rack Mounting the CCS-755 for Two-post	
3.1.2 Rack Mounting the CCS-758 for Two-post	
3.2 Four-post Rack Mount (Optional)	
3.2.1 Rack Mounting the CCS-755 for Four-post	
3.2.2 Rack Mounting the CCS-758 for Four-post	17
Chapter 4: Cabling the Modular Switch	
4.1 Cabling the Power Supplies	22
4.2 Cabling Chassis Ground	
4.3 Cabling the AC Power Supplies	
4.4 Power Supply Specifications	
4.5 Power Supply Configurations	
4.5.1 Recommendations for Power Supply Usage	
4.6 Power Supply Redundancy	
4.7 Connecting Supervisor Cables	28
4.8 Connecting Linecard Modules and Cables	
Chapter 5: Configuring the Modular Switch	31
Annendix A: Status Indicators	33
A 1 Supervisor Module	U
A. I Supervisor initiality of the Indicator I EDe: CCS 750 SUD100	ວ່ວ າາ
A. I. I System Level Status multidul LEDS. 003-700-30F 100	
A.I.2 Supervisor Status LEDS Dellavior	
A.2 LINECALU MOULUE MUCALUIS	
A.2. I LINECALU IVIOUULE STATUS LEDS DENAVIOL	

Appendix B: Parts List	43
B.1 Parts Used in All Rack Mount Configurations	
B.1.1 Cables	43
B.1.2 Getting-Started Booklet	
B.2 Two-Post Rack Mount Parts	
B.3 Four-Post Rack Mount Parts (Optional)	44
B.4 Four-Post (Extended Depth) Rack Mount Parts (Optional)	
Appendix C: Front Panel	
Appendix D: Rear Panel	
Appendix E: Linecards	51
Appendix F: Maintenance and Field Replacement	53
F.1 Power Supplies	
F.1.1 Removing AC Power Supply	53
F.1.2 Installing AC Power Supply	54
F.2 Fan Module	
F.2.1 Removing Fan Module	
F.2.2 Installing Fan Module	
F.3 Supervisor Module	54
F.3.1 Removing Supervisor Module	
F.3.2 Removing Supervisor Module Blank	
F.3.3 Installing Supervisor Module	
F.4 Linecards.	
F.4.1 Removing a Linecard	
F.4.2 Removing Linecald Didnk	
F.4.3 INStalling a LineCaru	
F.5 SWILLIUGUS	
F.5.2 Installing Switchcard	
Appendix G: Regulatory Model Numbers	60

Overview

The following Topics are covered in this section:

- Scope
- Receiving and Inspecting the Equipment
- Installation Process
- Safety Information
- Obtaining Technical Assistance
- Specifications

1.1 Scope

This guide is intended for properly trained service personnel and technicians who need to install the following Arista Networks Data Center Switches.

- CCS-755
- CCS-758

ļ

Important: Only qualified personnel should install, service, or replace this equipment.

Seul le personnel qualifié doit installer, service, ou remplacer cet équipement.

1.2 Receiving and Inspecting the Equipment

Upon receiving the switch, inspect the shipping boxes and record any external damage. Retain packing materials if you suspect that part of the shipment is damaged; the carrier may need to inspect them.

If the boxes were not damaged in transit, unpack them carefully. Ensure that you do not discard any accessories that may be packaged in the same box as the main unit.

Inspect the packing list and confirm that you received all listed items. Compare the packing list with your 750 Series Modular Switches purchase order. Parts List provides a list of components included with the switch.

1.3 Installation Process

The following tasks are required to install and use the switch.

- 1. Select and prepare the installation site. (Site Selection.)
- 2. Assemble the installation tools listed. (Tools and Parts Required for Installation.)
- 3. Attach the mounting brackets and install the switch in an equipment rack. (Rack Mounting the Switch.)
- 4. Connect the switch to the power source and network devices. (Cabling the Modular Switch.)

5. Configure the switch. (Configuring the Modular Switch.)

Important:

ļ

Class 1 Laser Product: This product has provisions to install Class 1 laser transceivers that provides optical coupling to the communication network. Once a Class 1 laser product is installed, the equipment is a Class 1 Laser Product. The customer is responsible for selecting and installing the Class 1 laser transceiver and for insuring that the Class 1 AEL (Allowable Emission Limit) per EN/IEC 60825, CSA E60825-1, and Code of Federal Regulations 21 CFR 1040 is not exceeded after the laser transceiver have been installed. Do not install laser products whose class rating is greater than 1. Refer to all safety instructions that accompanied the transceiver prior to installation. Only Class 1 laser devices certified for use in the country of installation by the cognizant agency are to be utilized in this product.

Produit Laser de classe 1: Ce produit a des dispositions pour installer des émetteurs-récepteurs de laser de classe 1 qui offre de couplage au réseau de communication optique.Une fois un produit laser de classe 1 est installé, l'équipement est un produit Laser de classe 1 (Appareil à Laser de Classe 1).Le client est responsable pour sélectionner et installer l'émetteur/récepteur de laser de classe 1 et pour assurer que la classe 1 AEL (limite d'émission admissible) par EN/IEC 60825, CSA E60825-1, et Code des règlements fédéraux 21 CFR 1040 ne soit pas dépassée après avoir installé l'émetteur/récepteur de laser. Ne pas installer des appareils à laser dont la cote de classe est supérieure à 1.Voir toutes les consignes de sécurité qui ont accompagné l'émetteur-récepteur avant l'installation. Seuls appareils laser de classe 1 certifiés pour une utilisation dans le pays d'installation par l'organisme compétent doivent être utilisées dans ce produit.

Important:

Ultimate disposal of this product should be handled in accordance with all national laws and regulations.

L'élimination finale de ce produit doit être effectuée conformément à toutes les lois nationales etrèglements.

1.4 Safety Information

Refer to the Arista Networks document *Safety Information and Translated Safety Warnings* available at: https://www.arista.com/en/support/product-documentation.

1.5 Obtaining Technical Assistance

Any customer, partner, reseller or distributor holding a valid Arista Service Contract can obtain technical support in any of the following ways:

• Email: support@arista.com. This is the easiest way to create a new service request.

Include a detailed description of the problem and the output of "show tech-support".

• Web: https://www.arista.com/en/support.

A support case may be created through the support portal on our website. You may also download the most current software and documentation, as well as view FAQs, Knowledge Base articles, Security Advisories, and Field Notices.

• Phone:+1 866-476-0000 or +1 408-547-5502.

Important:

No user serviceable parts inside. Refer all servicing to qualified service personnel.

Aucune pièce réparable par l'utilisateur à l'intérieur. Confiez toute réparation à un technicien qualifié.

1.6 Specifications

I

Table 1: Modular Switch Specifications lists the specifications of Arista Data Center modular switches covered by this guide.

Table 1: Modular Switch Specifications

	CCS-755	CCS-758
Height	7 RU: 305 mm	10 RU: 439.4 mm
	(12.0 inches)	(17.3 inches)
Width	441 mm	441 mm
	(17.36 inches) maximum	(17.36 inches) maximum
Depth	940 mm	940 mm
	(16.5 inches)	(16.5 inches)
Weight	65.4 kg	91.6 kg
	(143.9 lbs) fully loaded	(201.5 lbs) fully loaded
AC Branch Circuit Protection	20 A	20 A
Input Power Circuits	6 circuits	10 circuits
Ambient Temperature Storage Temperature	0° to40°C (32° to 104°F) -40° to 70°C (-40° to 158°F)	0° to40°C (32° to 104°F) -40° to 70°C (-40° to 158°F)
Relative Humidity	5 to 90%	5 to 90% 0 to 3,000 meters (0 to 10,000 feet)
Altitude	0 to 3,000 meters (0 to 10,000 feet)	
Cooling	See Power draw configurations in Table 2: 750 Series Power Specifications	See Power draw configurations inTable 2: 750 Series Power Specifications

The Table 2: 750 Series Power Specifications lists the power specifications of the modular switch components.

Table 2: 750 Series Power Specifications

Module Type	Part Number	Power Draw (Typical / Maximum - non PoE)	Available Power (for PoE) ¹
Supervisor Modules	CCS-750-Sup100	79 W / 94 W	
	CCS-750-Sup25	70 W / 80 W	
Linecard Modules	CCS-750X-48TP-LC	42 W / 43 W	
	CCS-750X-48ZP-LC	83 W / 87 W	
	CCS-750X-48ZXP-LC	148 W / 160 W	
	CCS-750X-48SX-LC	59 W / 227 W	
	CCS-750X-48THP-LC	42 W / 43 W	
Switch Card Modules	CCS-755-X3-SC	82 W / 159 W	
	CCS-758-X3-SC	101 W / 174 W	
Power Supply (AC)	PWR-3351-AC-RED	5 ² W	
755 Series System	Full chassis loaded with	1026 W / 1251 W	18871 W
	2 CCS-750-Sup100		
	2 CCS-755-X3-SC		
	5 CCS-750X-48ZP		
	6 PWR-3351-AC-RED		
758 Series System	Full chassis loaded with	1338 W / 1566 W	31789 W
	2 CCS-750-Sup100		
	2 CCS-755-X3-SC		
	8 CCS-750X-48ZP		
	10 PWR-3351-AC-RED		

¹ Assumes all PSUs are operating between 220 - 240 V.

² When no AC input is applied.

Note1: Includes typical power supply conversion inefficiency. Contact your local Sales Engineer for 750 power calculator details.

Note2: Power numbers given as Typical/Maximum or Typical/Hot/Maximum where Hot is defined as 40°C Sea Level.

* Not N+N redundant power at worst case Temp/Elevation.

Preparation

The following Topics are covered in this section:

- Site Selection
- Tools and Parts Required for Installation
- Electrostatic Discharge (ESD) Precautions

2.1 Site Selection

The following criteria should be considered when selecting a site to install the switch.

- Floor Space: Install the switch in an area that provides adequate clearance for removing front and rear components.
- Figure 2-1: Clearance Requirements and Footprint for Switches displays the dimensions and footprint of the switch clearance requirements for the switches.

Figure 2-1: Clearance Requirements and Footprint for Switches



Table 3: Clearance Requirements and Footprint Dimensions shows the dimensions for each of the modular switches.

Table 3: Clearance Requirements and Footprint Dimensions

Switch	Clearance Requirements Dimensions		
	A	В	С
CCS-755	24.2 cm	94.0 cm	35.1 cm
	(9.5 in.)	(16.5 in.)	(13.8 in.)
CCS-758	24.2 cm	94.0 cm	35.1 cm
	(9.5 in.)	(16.5 in.)	(13.8 in.)

• **Temperature and Ventilation:** For proper ventilation, install the switch where there is ample airflow to the front and back of the switch. The temperature should not go below 0° or exceed 40°C.

Important:

ļ

Ξ.

To prevent the switch from overheating, do not operate it in an area where the ambient temperature exceeds $40^{\circ}C$ ($104^{\circ}F$).

Pour empêcher l'interrupteur de surchauffe, ne pas utiliser il dans une zone où la température ambiante est supérieure à 40°C (104°F).

- Airflow Orientation: The fans direct air from the front panel to the rear panel. Orient the front panel toward the cool aisle.
- Rack Space Requirements: Table 4: Rack Space Requirements shows the rack space requirements for each of the modular switches.

Switch	Rack or Cabinet (standard 19" EIA) Mount Kit		
	2-post	4-post	Switch Height (RU)
CCS-755	KIT-CCS-750-2P	KIT-CCS-750-4P	7
CCS-758	KIT-CCS-750-2P	KIT-CCS-750-4P	10

Note: The accessory kit provides the required mounting hardware for each switch.

- **Power Requirements:** Arista switches require a minimum number of operating power supplies in all chassis, and for each power domain of switches with multiple power domains. Refer to Cabling the Modular Switch for more details regarding your switch.
- Other Requirements: Select a site where liquids or objects cannot fall onto the equipment and foreign objects are not drawn into the ventilation holes. Verify these guidelines are met:
 - Clearance areas to the front and rear panels allow for unrestricted cabling.
 - All front and rear panel indicators can be easily read.
 - AC power cords can reach from the AC power outlet to the input connectors.

2.2 Tools and Parts Required for Installation

The following tools are required to install a modular switch.

• Mechanical device capable of lifting chassis being installed. (Table 5: Rack Component Requirements.)

- Torque reading nut driver (for DC power supplies).
- #2 Phillips head screwdriver.

Rack Mount: Shows the Rack Components Required for each of the Modular Switches. The following table shows the rack components required for each of the modular switches.

Table 5: Rack Component Requirements

Switch	Rack or Cabinet (standard 19" EIA)		
	Rack screws ⁽¹⁾	Rack Nuts ⁽²⁾	Notes
CCS-755	14	14	2-post installation, 4-post installation
CCS-758	18	18	2-post installation, 4-post installation

The accessory kit includes screws that fit many common equipment racks.

Rack nuts are only for racks with unthreaded, rack-post holes.

2.3 Electrostatic Discharge (ESD) Precautions

Observe these guidelines to avoid ESD damage when installing or servicing the switch.

- · Assemble or disassemble equipment only in a static-free work area.
- Use a conductive work surfaces (such as an anti-static mat) to dissipate static charge.
- Wear an ESD wrist strap to dissipate static charge accumulation.
- Minimize handling of assemblies and components.
- Keep replacement parts in their original static-free packaging.
- Remove all plastic, foam, vinyl, paper, and other static-generating materials from the work area.
- Use tools that do not create ESD.

Rack Mounting the Switch

The following Topics are covered in this section:

- Two-post Rack Mount
- Four-post Rack Mount (Optional)

The switches can be installed in two-post Two-post Rack Mount or four-post Four-post Rack Mount (Optional) racks. The appropriate accessory kit provides components for installing the switch in the rack. The chassis can be mounted in the following three positions:

- Front
- Center

Ξ.

• Back (rear)

Attaching Mounting Brackets to the CCS-755 Two-post and Attaching Mounting Brackets to the CCS-758 for Two-post show examples for attaching mounting ears to the CCS-755 and CCS-758 chassis to support each of the three mounting locations.

Note: Four-post rack mount kit is optional.

Illustrations in this chapter depict the mounting of a chassis in a single orientation. After completing the instructions for your rack type, proceed to Cabling the Modular Switch.

3.1 Two-post Rack Mount

The switch can be mounted in either forward orientation (line cards and supervisors facing forward) or backward orientation (fans and PSUs facing forward). For each of these orientations, the switch supports a front, center or rear mount into a two-post rack.

The accessory kit includes the following two-post mounting parts:

- Two-post rack cradle
- mounting brackets
- 18 screws

Ξ

Note: The following illustrations highlight a front-mount.

3.1.1 Rack Mounting the CCS-755 for Two-post

To mount the switch to the rack, perform the following tasks.

- Attach the mounting brackets to the switch for the desired orientation and position supported. (Attaching Mounting Brackets to the CCS-755 Two-post.)
- Insert and secure the two-post cradle to the rack. (Attaching Cradle to the Racks for 755 Two-post.)
- Insert and secure the switch into the rack. (Inserting and Securing CCS-755 Chassis into Two-post Rack.)

3.1.1.1 Attaching Mounting Brackets to the CCS-755 Two-post

Attach the mounting brackets to both sides of the chassis using the screws provided in the kit for the desired orientation and position. The following figure shows the CCS-755 chassis with the mounting brackets for Forward-Front, Forward-Center, and Backward-Front mounting.

Figure 3-1: Attaching the Mounting Brackets for 755



3.1.1.2 Attaching Cradle to the Racks for 755 Two-post

Attach the two-post cradle to the rack using the screws provided as shown in the following figure. Use rack nuts if needed.

Figure 3-2: Attaching the Cradle to the Rack



3.1.1.3 Inserting and Securing CCS-755 Chassis into Two-post Rack

1. Move the chassis to the rack using a mechanical lift.



Note: If modules are inserted in the chassis, use the lift carefully to avoid damaging any components.

2. Lift and slide the chassis into the rack cradle in the desired orientation.



Figure 3-3: Inserting the Switch into the Two-post Rack (CCS-755 Forward-Front)



Secure the chassis to the rack as shown in the following figure.
 Figure 3-4: Securing the Chassis (CCS-755 Forward-Front)



After completing the two-post Installation, proceed to Cabling the Modular Switch.

3.1.2 Rack Mounting the CCS-758 for Two-post

To mount the switch to the rack, perform the following tasks:

- Attach the mounting bracket(s) to the switch for the desired orientation and position supported Attaching Mounting Brackets to the CCS-758 for Two-post.
- Insert and secure the two-post cradle to the rack Attaching Cradle to the Racks for 758 for Two-post.
- Insert and secure the switch into the rack Inserting and Securing CCS-758 Chassis into Rack for Twopost.

3.1.2.1 Attaching Mounting Brackets to the CCS-758 for Two-post

Attach the mounting brackets to both sides of the chassis using the screws provided in the kit for the desired orientation and position. The following figure shows the CCS-758 chassis with the mounting brackets for Forward-Front, Forward-Center, and Backward-Front mounting.

Figure 3-5: Attaching the Mounting Brackets for CCS-758



3.1.2.2 Attaching Cradle to the Racks for 758 for Two-post

Attach the two-post cradle to the rack using the screws provided. Use rack nuts if needed.

Figure 3-6: Attaching the Cradle to the Rack



3.1.2.3 Inserting and Securing CCS-758 Chassis into Rack for Two-post

1. Move the chassis to the rack using a mechanical lift.

Note: If modules are inserted in the chassis, use the lift carefully to avoid damaging any components.

2. Lift and slide the chassis into the rack cradle in the desired orientation.



Note: The following figure shows an unthreaded rack example with rack nuts.

Figure 3-7: Inserting the Switch into the Two-post Rack (758 Forward-Front)



Secure the chassis to the rack as shown in the following figure.
 Figure 3-8: Securing the Chassis (758 Forward-Front)



After completing the two-post Installation, proceed to Cabling the Modular Switch.

3.2 Four-post Rack Mount (Optional)

The switch can be mounted in either forward orientation (line cards and supervisors facing forward) or backward orientation (fans and PSUs facing forward) in a four-post rack.

The accessory kit includes the following four-post mounting parts:

- 4-post rack cradle
- mounting brackets
- 18 screws

3.2.1 Rack Mounting the CCS-755 for Four-post

To mount the switch to the rack, perform the following tasks.

- Attach the mounting brackets to the switch for the desired orientation and position supported Attaching Mounting Brackets to the CCS-755 for Four-post.
- Insert and secure the two-post cradle to the rackAttaching Cradle to the Racks for 755 Two-post .
- Insert and secure the switch into the rack Inserting and Securing the Switch into the Rack for Four-post 755.

3.2.1.1 Attaching Mounting Brackets to the CCS-755 for Four-post

Attach the mounting brackets to both sides of the chassis using the screws provided in the kit for the desired orientation and position. The following figure shows the CCS-755 chassis with the mounting brackets for Forward-Front, Forward-Center, and Backward-Front mounting.

Figure 3-9: Attaching the Mounting Brackets for 755



E.

Note: Note Center and rear mount are not supported for four-post rack mounting.

3.2.1.2 Inserting and Securing the Cradle to the Racks for Four Post 755

1. Insert two screws loosely in the two front rack posts and two in the back two rack posts at the same level for the figure below.

Figure 3-10: Attaching Mounting Screws to the Rack Posts for 755



2. Buckle the straps on the cradle together, prior to installation, so the left and right sides are angled slightly inwards for the figure below.





- **3.** Pull out the rear sliding rails slightly beyond the back rack posts.
- 4. Insert the cradle so that the notches in the cradle engage behind the loosely mounted front screws for the figure below.

5. Slide the rear sliding rails back in so that they are flush with the back rack posts, the notches in the cradle engage behind the loosely mounted screws, and the bottom of the cradle is horizontal and level for the figure below.

Figure 3-12: Inserting the Cradle



6. Release the clasp on the connector to rotate the left and right sides so they are vertical for the figure below.



Figure 3-13: Aligning the Cradle in the Rack

7. Secure the cradle to the rack posts using the remaining screws, and tighten the loosely mounted screws for the figure below.



Figure 3-14: Securing the Cradle in the Rack

3.2.1.3 Inserting and Securing the Switch into the Rack for Four-post 755

1. Move the chassis to the rack using a mechanical lift.



2. Lift the chassis into the rack and slide it into the cradle for the figure below.

Figure 3-15: Inserting the Chassis (755 Forward-Front)



3. Secure the chassis by tightening additional screws on the front flanges into the rack posts for the figure below.



Figure 3-16: Securing the Chassis (755 Forward-Front)

After completing the Four-Post Installation, proceed to Cabling the Modular Switch.

3.2.2 Rack Mounting the CCS-758 for Four-post

To mount the switch to the rack, perform the following tasks:

- Attach the mounting bracket(s) to the switch for the desired orientation and position supported Attaching Mounting Brackets to the Four Post CCS-758.
- Insert and secure the two-post cradle to the rackAttaching Cradle to the Racks for 758 for Two-post.
- Insert and secure the switch into the rack Inserting and Securing the Switch into the Four-post Rack 758.

3.2.2.1 Attaching Mounting Brackets to the Four Post CCS-758

Attach the mounting brackets to both sides of the chassis using the screws provided in the kit for the desired orientation and position. The figure below shows the 758 chassis with the mounting brackets for Forward-Front and Backward-Front mounting.

Figure 3-17: Attaching the Mounting Brackets for 758



Note: Center mount is not supported for four-post rack mounting.

3.2.2.2 Inserting and Securing the Cradle to the Racks for Four Post CCS-758

To insert and secure the cradle assembly to the rack use the following steps.

1. Insert two screws loosely in the two front rack posts and two in the back two rack posts at the same level for the figure below.

Figure 3-18: Figure 3-18: Attaching Mounting Screws to the Rack Posts for 758



Ξ.

2. Buckle the straps on the cradle together, prior to installation, so the left and right sides are angled slightly inwards for the figure below.

Figure 3-19: Figure 3-19: Buckling the straps



- 3. Pull out the rear sliding rails slightly beyond the back rack posts.
- 4. Insert the cradle so that the notches in the cradle engage behind the loosely mounted front screws for the figure below.
- 5. Slide the rear sliding rails back in so that they are flush with the back rack posts, the notches in the cradle engage behind the loosely mounted screws, and the bottom of the cradle is horizontal and level for the figure below.

Figure 3-20: Figure 3-20: Inserting the cradle



6. Release the clasp on the connector to rotate the left and right sides so they are vertical for the figure below.

Figure 3-21: Figure 3-21: Aligning the cradle in the rack



7. Secure the cradle to the rack posts using the remaining screws, and tighten the loosely mounted screws for the figuer below.

Figure 3-22: Figure 3-22: Securing the cradle in the rack



3.2.2.3 Inserting and Securing the Switch into the Four-post Rack 758

Note: If modules are inserted in the chassis, use the lift carefully to avoid damaging any components.

1. Lift the chassis into the rack and slide it into the cradle.

Figure 3-23: Inserting the Chassis (758 Forward-Front)



2. Secure the chassis by tightening additional screws on the front flanges into the rack posts (Figure 3-24: Securing the Chassis (758 Forward-Front)).



Figure 3-24: Securing the Chassis (758 Forward-Front)

After completing the Four-Post Installation, proceed to Cabling the Modular Switch.

Chapter 4

Cabling the Modular Switch

The following Topics are covered in this section:

- Cabling the Power Supplies
- Cabling Chassis Ground
- Cabling the AC Power Supplies
- Power Supply Specifications
- Power Supply Configurations
- Power Supply Redundancy
- Connecting Supervisor Cables
- Connecting Linecard Modules and Cables

4.1 Cabling the Power Supplies

Before you begin, refer to the Arista Networks document Compliance and Safety Guide available at:https:// www.arista.com/en/support/product-documentation

Important:

ļ

ļ

=

Power down the switch: Remove all power cords from the power inlets.

Mettez le commutateur: Retirez tous les cordons d'alimentation des prises d'alimentation.

Important:

Installation of this equipment must comply with local and national electrical codes. If necessary, consult with the appropriate regulatory agencies and inspection authorities to ensure compliance.

Installation de cet équipement doit être conformes aux codes électriques locaux et nationaux. Si nécessaire, consulter les organismes de réglementation appropriés et des autorités de contrôle pour assurer la conformité.

Note:

Many configurations will require additional power supplies.

Nombreuses configurations exigera des alimentations supplémentaires.

Important:

Read all installation instructions before connecting the system to the power source.

Lire toutes les instructions d'installation avant de brancher le système à la source d'alimentation.

Table 7: Power Supply Configurations shows the minimum number of operating power supplies that must be connected to active circuits for each switch to operate.

Each power supply includes a fan that maintains proper power supply temperature. The appendices display the location of components for all switches described in this guide.

4.2 Cabling Chassis Ground

Figure 4-1: Chassis Ground Locations (CCS-755) and Figure 4-2: Chassis Ground Locations (CCS-758) display the location of the chassis grounding locations on the front panel of the switches. Chassis ground locations are also located on the rear panel of the switch chassis (Rear Panel). After mounting the switch into the rack, connect at least one of the chassis grounds to the data center ground using two-hole ground lugs with 16 mm (5/8 in.) spacing, and two M4 x 0.7 screws. After the switch is grounded, ESD wrist straps can be grounded by connecting them to one of the attach points.

Important:

ļ

ļ

ļ

Grounding wires and grounding lugs are not supplied. Wire size should meet local and national installation requirements. Commercially available 2 or 4 AWG wire is recommended for installations in the U.S.

À la terre et de mise à la terre fils cosses ne sont pas fournis. Calibre des fils doit satisfaire des exigences de l'installation locale et nationale. Disponible dans le commerce 2 ou 4 AWG fil est recommandé pour les installations aux États-Unis.

Important:

This equipment must be grounded. Never defeat the ground conductor. This unit requires overcurrent protection.

Cet équipement doit être mis à la terre. Ne jamais modifier le conducteur de terre. Cet appareil nécessite de protection contre les surintensités.

Important:

Secondary Grounding wires, lugs, and screws (M4 x 0.7) are not supplied.

Secondaire à la terre, câbles, cosses et vis (M4 x 0.7) ne sont pas fournis.



Figure 4-1: Chassis Ground Locations (CCS-755)

- 1 Grounding locations
- 2 ESD attach point

- 3 Line cards
- 4 Supervisor modules



Figure 4-2: Chassis Ground Locations (CCS-758)

To power down the switch, remove all power cords from the power inlets.

4.3 Cabling the AC Power Supplies

The switches use PWR-3351-AC-RED (Figure 4-3: AC Power Supply (PWR-3351-AC-RED)) AC power supplies. Power cables are included with the accessory kit (Table 23: Accessory Kits for the Modular Switches). To power the switch, connect the cables to the C20 connectors on the PSU inputs, and insert the other side of the cables into the main power providing circuit(s).



Note: The power supply, handle color, orientation, etc. may be different in your device from the one shown in Figure 4-3: AC Power Supply (PWR-3351-AC-RED).





The Rear Panel displays the rear panel location of the power supplies.



4.4 Power Supply Specifications

Table 6: Power Supply Specifications (each PSU) shows the power supply specifications for each of the PSUs supported.

Table 6: Power Supply Specifications (each PSU)

Power Supply	Maximum Output Power Rating (DC)	Input Voltage and Frequency	Maximum Input Current	Input Branch Circuit Protection
PWR-3351-AC-RED	1400 W 3000 W 3300 W	100 to 127 VAC 200 to 220 VAC 220 to 240 VAC 50/60 Hz	16 A	20 A

Important:

Each power supply requires input branch circuit protection in compliance with AHJ requirements.

Chaque alimentation nécessite une protection du circuit de la branche d'entrée conformément aux exigences de l'AHJ.

4.5 **Power Supply Configurations**

E.

Table 7: Power Supply Configurations shows the power supply configurations for the modular switches.

Note: PSU input voltage for all PSUs in the system must be the same.

Table 7: Power Supply Configurations

Modular Switch	Recommended Number of PSUs (for redundancy)	Minimum Number of PSUs Required	Maximum Number of PSUs Supported
CCS-755	3	1	6
CCS-758	5	1	10

4.5.1 Recommendations for Power Supply Usage

- Use separate circuits (A & B) with required protection for each power supply.
- Use the same PSU model when replacing a failed PSU. Any suitable alternative must be approved before using if the original model is no longer supported or available.
- Unless your switch allows for mixing power supplies, do not mix power supply types.
- Populate the PSU slots sequentially.
- Valid redundancy configurations for each domain are described in Power Supply Redundancy section.

4.6 Power Supply Redundancy

Important:

ļ

I

Installation of this equipment must comply with local and national electrical codes. If necessary, consult with the appropriate regulatory agencies and inspection authorities to ensure compliance.

Installation de cet équipement doit être conformes aux codes électriques locaux et nationaux. Si nécessaire, consulter les organismes de réglementation appropriés et des autorités de contrôle pour assurer la conformité.

Important:

Read all installation instructions before connecting the system to the power source.

Lire toutes les instructions d'installation avant de brancher le système à la source d'alimentation.

Most installations will have redundant, dual, independent power feeds. Each independent power feed will be referenced as A and B.

The recommended installation is to wire each supply to independent power feed (A or B).

Each power supply includes a fan that maintains proper power supply temperature. The following appendices display the location of the following component on all switches described in this guide.

The Front Panel displays the front panel location of the supervisor modules and line cards.

The Rear Panel displays the rear panel location of switch card modules (not visible), fans, and PSUs.

Important:

This unit requires over-current protection.

Cet appareil nécessite de protection contre les surintensités.

Important:

I

Unused slots must be occupied or covered with a blank to ensure proper airflow through the chassis.

Les emplacements inutilisés doivent être occupés ou recouvert d'un blanc pour assurer la bonne circulation d'air dans le châssis.

4.7 Connecting Supervisor Cables

Supervisor modules contain console, management, and USB ports. Figure 4-4: Supervisor CCS-750-SUP100 display port and status LED locations on the supervisors. Refer to the chassis specification in Connecting Supervisor Cables for additional information about the serial port.

Figure 4-4: Supervisor CCS-750-SUP100



- 4 Linecard status LED
- 8 Supervisor/Uplink ports (2x QSFP100) 12
 -)) 12 Release

Figure 4-5: Supervisor CCS-750-SUP25



- Console (Serial) Port: Connect to a PC with RJ-45 to DB-9 serial adapter cable. Default switch settings include:
 - 9600 baud
 - No flow control

- 1 stop bit
- No parity bits
- 8 data bits

The supervisor cards must be installed in one of the two slots designated for them. They are shown in Front Panel for the switches.

RJ	-45	DE	3-9	RJ	-45	DE	3-9
RTS	1	8	CTS	GND	5	5	GND
DTR	2	6	DSR	RXD	6	3	TXD
TXD	3	2	RXD	DSR	7	4	DTR
GND	4	5	GND	CTS	8	7	RTS

Table 8: RJ-45 tp DB-9 Connections

- Ethernet management port: Connect to 10/100/1000 management network with RJ-45 cable.
- USB Port: May be used for software or configuration updates.
- Uplink Port: Use the relevant optics for connection.

4.8 Connecting Linecard Modules and Cables

Install required SFP, SFP+, QSFP+, QSFP100, OSFP, and QSFP-DD optic modules in linecard module ports Figure 4-6: SFP or SFP+ Ports .

Figure 4-6: SFP or SFP+ Ports



Connect cables as required to linecard module ports. Supervisor and linecard module ejectors on the front of the chassis assist with cable management.

CAUTION:

Excessive bending can damage interface cables, especially optical cables.

Flexion excessive peut endommager les câbles d'interface, en particulier les câbles optiques.



Note: You must ensure that any open slots for modules, supervisors, linecards, etc. are covered by the appropriate "blank" plates. Check with your local Arista Networks representative if you have questions.

Configuring the Modular Switch

Arista switches ship from the factory in Zero Touch Provisioning (ZTP) mode. ZTP configures the switch without user intervention by downloading a startup configuration file or a boot script from a location specified by a DHCP server. To manually configure a switch, ZTP is bypassed. The initial configuration provides one username (admin) accessible only through the console port because it has no password.

When bypassing ZTP, initial switch access requires logging in as admin, with no password, through the console port. Then you can configure an admin password and other password protected usernames.

This manual configuration procedure cancels ZTP mode, logs into the switch, assigns a password to admin, assigns an IP address to the management port, and defines a default route to a network gateway.

- 1. Provide power to the switch Cabling the Modular Switch.
- 2. Connect the console port to a PC.

As the switch boots without a startup-config file, it displays this message through the console:

```
The device is in Zero Touch Provisioning mode and is attempting to
download the startup-config from a remote system. The device will not
be fully functional until either a valid startup-config is downloaded
from a remote system or Zero Touch Provisioning is cancelled. To cancel
Zero Touch Provisioning, login as admin and type 'zerotouch cancel'
at the CLI.
```

localhost login:

3. Log into the switch by typing admin at the login prompt.

localhost login: admin

4. Cancel ZTP mode by typing zerotouch cancel. IMPORTANT: This step initiates a switch reboot.

```
localhost> zerotouch cancel
```

5. After the switch boots, log into the switch again by typing admin at the login prompt.

```
Arista EOS
localhost login: admin
Last login: Fri Mar 15 13:17:13 on console
```

6. Enter global configuration mode.

```
localhost> enable
localhost# config
```

7. Assign a password to the admin username with the username secret command.

localhost(config) # username admin secret pxq123

8. Configure a default route to the network gateway.

```
localhost(config)# ip route 0.0.0.0/0 192.0.2.1
```

9. Assign an IP address (192.0.2.8/24 in this example) to an Ethernet management port.

```
localhost(config)# interface management 1/1
```

```
localhost(config-if-Ma1/1)# ip address 192.0.2.8/24
```

10. Save the configuration by typing write memory or copy running-config startup-config.

localhost# copy running-config startup-config

11. When the management port IP address is configured, use this command to access the switch from a host, using the address configured in **Step 9**.

ssh admin@192.0.2.8

Refer to the Arista Networks User Manual for complete switch configuration information.

Status Indicators

The following Topics are covered in this section:

- Supervisor Module
- Linecard Module Indicators
- Switchcard Module Status Indicators
- Fan Module Status Indicators
- Power Supply Status Indicators

A.1 Supervisor Module

While the front panel of each switch can house two supervisors, switch operations require only one. Supervisors display switch status and contain Ethernet management and console ports. The supervisor provides:

- one serial console port.
- two Ethernet management ports (one RJ-45, one optical).
- one USB port.
- two QSFP100 (CCS-750-SUP100) or four SFP25 (CCS-750-SUP25) supervisor/uplink ports.
- several system level status indicator LEDs Status Indicators.

A.1.1 System Level Status Indicator LEDs: CCS-750-SUP100

The system status indicator LEDs are shown in Figure A-1: Supervisor CCS-750-SUP100 and Figure A-2: Supervisor CCS-750-SUP25.

Figure A-1: Supervisor CCS-750-SUP100



- 1 Supervisor status LED
- 2 Supervisor active status LED
- 3 PSU status LED
- 4 Linecard status LED

- 5 Switch card status LED
- 6 Fan status LED
- 7 Uplink status LED
- 8 QSFP100 uplink ports
- 9 Ethernet management ports
- 10 RJ-45 Serial console port
- 11 USB Port
- 12 Release/locking mechanism (Right)¹

¹ There is a similar mechanism on the left.



A.1.2 Supervisor Status LEDs Behavior

Note: LED behavior is described for the active supervisor, except where noted.

A.1.2.1 Supervisor Status LED

Table 9: Supervisor Status LED States interprets the states of the supervisor status LED. s for both the active and the redundant supervisor module.

Table 9:	Supervisor	Status	LED	States
----------	------------	--------	-----	--------

State	Status	
Off	Supervisor has no power or is powering up.	
Blinking Green	Supervisor is booting. System can take up to 30 minutes to come up. All other LEDs will also be off.	
Green	Supervisor is operating normally (master supervisor). System is good.	
Yellow/Amber/Orange	System is overheating or has been disabled by software.	
Blinking Blue	Locater function enabled by CLI (Beacon).	

A.1.2.2 Supervisor Active Status LED

Table 10: Supervisor Active Status LED States interprets the states of the supervisor active status LED.

Table 10: Supervisor Active Status LED States

State	Status
Off	Supervisor is the standby supervisor. All other LEDs except Supervisor Status remain off.
Green	Supervisor is the Active supervisor.

A.1.2.3 PSU Status LED

Table 11: PSU Status LED States interprets the states of the PSU status LED.

Table 11: PSU Status LED States

State	Status	
Off	PSU not detected, installed or powered.	
Green	All installed PSUs are operating normally.	
Red	One or more PSU has a fault.	

A.1.2.4 Linecard Status LED

Table 12: Linecard Status LED States interprets the states of the Linecard status LED.

Table 12: Linecard Status LED States

State	Status	
Off	Linecard not detected, installed or powered.	
Green	All installed linecards are operating normally.	
Yellow/Amber/Orange	One or more linecard is booting up or being updated.	
Red	One or more linecards have failed.	

A.1.2.5 Switchcard Status LED

Table 13: Switchcard Status LED States interprets the states of the switchcard status LED.

Table 13: Switchcard Status LED States

State	Status	
Off	Switchcard not detected, installed or powered.	
Green	All installed switchcards are operating normally.	
Yellow/Amber/Orange	One or more switchcard is booting up or being updated.	
Red	One or more switchcards have failed.	

A.1.2.6 Fan Status LED

Table 14: Fan Status LED States interprets the states of the Fan status LED.

Table 14: Fan Status LED States

State	Status	
Off	No fan detected.	
Green	All installed fans are operating normally.	
Yellow/Amber/Orange	One or more fans has failed or is missing.	
Red	Fans are insufficient or incompatible.	

A.1.2.7 Management Ethernet Port Status LED

Table 15: Management Ethernet Port Status LED States interprets the states of the management Ethernet port status LED.

Table 15: Management Ethernet Port Status LED States

LED	State	Status
Left	Off	Port is not linked up.
Left	Green	Port is linked up.
Right	Off	Port has no activity.
Right	Green	Port has activity.

A.1.2.8 Uplink Status LED

Table 16: Uplink Status LED States interprets the states of the uplink status LED.

Table 16: Uplink Status LED States

State	Status	
Off	Supervisor is not powered up or inserted.	
Green	Uplink card is operating normally.	
Yellow/Amber/Orange	Uplink card is booting up or being updated.	
Red	Uplink card power has failed.	



Note: Uplink and supervisor are on independent power domains so one can be up while the other is down.

A.2 Linecard Module Indicators

Each linecard module provides one status LED plus LEDs for each port on the card.Figure A-3: Linecard Module Status LEDs shows a representative line card. The figures in Linecards indicate the location of the LEDs on each linecard.

Figure A-3: Linecard Module Status LEDs



1 Linecard module status LED 2 Port status LED

A.2.1 Linecard Module Status LEDs Behavior

Table 17: Linecard Module Status LED States interprets the states of the linecard module status LED located on the individual linecard.

A.2.1.1 Linecard Module Status LED

Table 17: Linecard Module Status LED States

State	Status
Off	Linecard not inserted or powered.
Green	Linecard operating normally.
Yellow/Amber/Orange	Linecard is booting up or being updated.
Blinking Red	Locater function is enabled (Beacon).
Red	Linecard has failed.

Table 18: Port Status LED States interprets the states of the port status LED located by each port on the linecard.

Table 18: Port Status LED States

State	Status	
Off	Port link is down.	
Green	Port link is up.	
Yellow/Amber/Orange	Port is being administered by software.	
Blinking Yellow/Amber/Orange	Locater function is enabled (Beacon).	

A.3 Switchcard Module Status Indicators

Rear Panel displays the position of the Switchcard Module Status LEDs on the rear of each switch. Figure A-4: 755 Switchcard Module and Fan Module Status LEDs displays fan module status and switch card module status LEDs on the 755 switch.

Figure A-4: 755 Switchcard Module and Fan Module Status LEDs



1 Fan module 1 status LED

3 Fan module 1 release

2 Fan module 1

4 Switchcard release

- 7 Switchcard release
- 5 Switchcard module status LED
- 6 Switchcard module active status LED

758 Switchcard Module and Fan Module Status LEDs displays fan module status and switchcard module status LEDs on the 758 switch.





- 1 Fan module 1 status LED
- 2 Fan module 1
- 3 Fan module 1 release
- 4 Switchcard release
- 7 Switchcard release
- 5 Switchcard module status LED
- 6 Switchcard module active status LED

A.3.1 Switchcard Module Status LEDs Behavior

There are two LEDs for the Switchcard status. Only one of the switch cards is active. The second provides redundancy. The switchcard module LEDs are on the rear panel of the switches.

Note: LED behavior is described for the active Switchcard, except where noted.

A.3.1.1 Switchcard Module Status LED

Switchcard Module Status LED States interprets the states of the switchcard module status LED.

Table 19: Switchcard Module Status LED States

State	Status
Off	Switchcard does not have power.
Green	All installed switchcards are working normally.
Yellow/Amber/Orange	Switchcard is booting up or being updated.
Red	One or more switchcards have failed.

A.3.1.2 Switchcard Module Active Status LED

Switchcard Module Active Status LED States interprets the states of the switchcard module active status LED.

Table 20: Switchcard Module Active Status LED States

State	Status	
Off	Switchcard is in standby mode.	
Green	Switchcard is in active mode.	

A.4 Fan Module Status Indicators

The fan module status LED are on the fan modules.Figure A-6: Fan Module Status LED displays the LED on the fan module.

Figure A-6: Fan Module Status LED



1 Release

2 Fan module status LED

Note: Bezel color indicates airflow direction.

Table 21: Fan Module Status LED States interprets the states of the switch card module active status LED.

Table 21: Fan Module Status LED States

State	Status	
Off	an does not have power.	
Green	Fan module is working normally.	
Flashing red	Locater function is enabled (Beacon).	
Red	Fan module has failed.	

A.5 Power Supply Status Indicators

The power supply status LED ison the power supply modules.Figure A-7: AC Power Supply (PWR-3351-AC-RED) displays the LED on the PWR-3351-AC-RED AC power supply.

Figure A-7: AC Power Supply (PWR-3351-AC-RED)



1 Status LED

Ξ.

Handle

3 Release

Note: Handle color indicates airflow direction.

Table 22: AC Power Supply Status LED States interprets the AC power supply module LED status indicators with multiple PSU present in the system.

Table 22: AC Power Supply Status LED States

State	Status
Off	No AC Input or 140V < AC < 175V - single PSU.
Blinking Amber ¹	No AC Input or 140V < AC < 175V – multiple PSUs.
Blinking Green ¹	Standby Mode.
Green	Normal Operation.
Amber	PSU module has failed.
Blinking Amber and Green ²	Boot Loader.

¹ 1 second ON, 1 second OFF.

² 1 second ON, alternating.

Parts List

The following Topics are covered in this section:

- Parts Used in All Rack Mount Configurations
- Two-Post Rack Mount Parts
- Four-Post Rack Mount Parts (Optional)
- Four-Post (Extended Depth) Rack Mount Parts (Optional)

Each switch has an accessory kit that contains parts required to install the switch. Table 23: Accessory Kits for the Modular Switches provides further details on the accessory kit for each switch. The following sections in the chapter list the installation parts provided by the accessory kit in more details.

Table 23: Accessory Kits for the Modular Switches

	755	758
Common cables and accessories	Included	Included
Two-post rack mount kit (KIT-CCS-750	Included	Included
Four-post rack mount kit (KIT-CCS-750-4P)	Optional	Optional
Four-post rack mount kit (KIT-CCS-750-4PL)	Optional	Optional
Optional		
Power Cords		

Warning:

All provided power cables are for use only with Arista products.

Câbles d'alimentation doivent être utilisés uniquement avec des produits de Arista.

警告

すべての電源コードは提供する製品で使用するためだけを目的としている。

電源コードの他の製品での使用の禁止 Aristaが提供するすべての電源コードは、Aristaの製品でのみ使用してください。

B.1 Parts Used in All Rack Mount Configurations

B.1.1 Cables

Table 24: Cables Provided in Accessory Kit

Quantity	Description	
1	RJ45 To DB9 Adapter with a 6-foot rolled cable.	
1	Seven-foot RJ45 Patch panel cable.	

B.1.2 Getting-Started Booklet

One 2-page document.

B.2 Two-Post Rack Mount Parts

The following sections list the parts provided in the accessory kit for two-post rack mount installations.

Table 25: Two-Post Rack Mount Parts

Quantity	Description	
1	Cradle assembly.	
4	Mounting brackets/ears (flange).	
16	Rack mounting screws and rack nuts	
16	Flat-head screws	

Figure B-1: Two-Post Rack Mount Parts



B.3 Four-Post Rack Mount Parts (Optional)

The following sections list the parts provided in the accessory kit for four-post rack mount installations.

Table 26: Four-Post Rack Mount Parts

Quantity	Description	
1	Cradle assembly.	
4	Mounting brackets/ears (flange).	
20	Rack mounting screws and rack nuts	
16	Flat-head screws	

Figure B-2: Four-Post Rack Mount Parts



3 Rack mounting screws and rack nuts

B.4 Four-Post (Extended Depth) Rack Mount Parts (Optional)

The following sections list the parts provided in the accessory kit for four-post rack mount installations.

Table 27: Four-Post Rack Mount Parts

Quantity	Description
1	Cradle assembly.
4	Mounting brackets/ears (flange).
20	Rack mounting screws and rack nuts
16	Flat-head screws

Figure B-3: Four-Post Rack Mount Parts



1 Mounting brackets/ears

2 Cradle assembly

3 Rack mounting screws and rack nuts

Front Panel

This section displays the front panel of all switches covered by this guide.





- 1 Grounding locations
- 2 ESD attach point

- 3 Linecards
- 4 Supervisor modules



Figure C-2: CCS-758 Front Panel (Fully Populated)

- 1 Grounding locations
- 2 ESD attach point

- 3 Linecards
- 4 Supervisor modules

Rear Panel

This section displays the rear panel of all switches covered by this guide.









Linecards

This section displays the linecards supported by modular switches covered by this guide.



Figure E-4: CCS-750X-48SX-LC



1 Linecard status LED

2 Port status LED

3 Port numbers

Maintenance and Field Replacement

This section discusses the following Topics:

- Power Supplies
- Fan Module
- Supervisor Module
- Linecards
- Switchcards

This section describes the process for replacing switch components. You must ensure that at least one of the secondary grounding pads located on the front panel of the chassis is connected to the data center ground. While working on the switches, use grounded, anti-static wrist straps connected to one of the attach points on the switch for grounding yourself and preventing ESD damage to the switch.

Note: Illustrations in this section are examples for a representative switch and component(s).
 Procedures must be applied to component(s) supported by the specific device. You must use component(s) and the appropriate slots for those component(s) when replacing or adding them.

F.1 Power Supplies

The switches support AC Power supplies which must be ordered separately. The following steps are required for ESD protection when adding or replacing power supplies.

Note: For the exact locations of power supplies and grounding for your device, refer to Front Panel and Rear Panel.

1. Ensure that the switch is grounded.

Connect at least one of the chassis grounding pads located on the front and rear panels of the chassis to the data center ground as needed.

2. Ground yourself using a connected, anti-static wrist strap.

The anti-static ESD wrist strap must be connected to one of the attach points on the switch.

3. Remove the power supply to be replaced (Removing AC Power Supply) or use an empty slot.

Note: For the power supplies supported by your device, refer to Table 2: 750 Series Power Specifications. If the PSU has a cable release latch, use it for securing and removing the power cord as needed.

F.1.1 Removing AC Power Supply

Perform the following steps to remove an AC power supply.

1. Put on a grounded, anti-static ESD strap.

- 2. Unplug the cable from the PSU.
- **3.** Squeeze the latch release.
- 4. Remove the power supply from the switch using the power supply latch release and handle.

F.1.2 Installing AC Power Supply

You must make space for installing the power supply by removing an existing one (Removing AC Power Supply) or use an available slot on the switch. Perform the following steps to install an AC power supply.

- **1.** Put on a grounded, anti-static ESD strap.
- 2. Unpack the new power supply.
- 3. Insert the new power supply into the empty power supply slot.
- 4. After you insert the power supply, push gently on the power supply until the power supply is fully seated.
- 5. Connect the power cord to the power supply.
- 6. Connect to the power source.
- 7. Verify normal operation using the LED indicators for your switch Table 11: PSU Status LED States.

F.2 Fan Module

The fan modules are hot-swappable and N + 1 redundant. They are accessible from the rear of the switch (Rear Panel). You must take into account that the module you are inserting is compatible with the switch and the module that you are replacing. Perform the following steps to remove and replace a fan module.

F.2.1 Removing Fan Module

- 1. Put on a grounded, anti-static ESD strap.
- **2.** Use the release lever to unseat the fan module.
- 3. Use the handle to pull out the fan module.

F.2.2 Installing Fan Module

You must make space for installing the module by removing an existing one (Removing Fan Module) from a fan module slot available on the switch. Perform the following steps to install the module.

- 1. Put on a grounded, anti-static ESD strap.
- **2.** Unpack the module to be installed.
- 3. Slide the fan module into the slot until it is completely seated.
- 4. Verify that the module is operating normally (Table 14: Fan Status LED States).
- 5. Use the show environment cooling command to further verify normal operation.

F.3 Supervisor Module

The supervisor modules are hot-swappable. They are accessible from the front of the switch. You must take into account that the module you are inserting is compatible with the switch and the module that you are replacing. Use the following procedure to remove and replace a supervisor module. For the supervisor module locations for your device, refer to Front Panel.

F.3.1 Removing Supervisor Module

Perform the following steps to remove the module.

- 1. Put on a grounded ESD strap.
- 2. Use the release handles on the Supervisor card to unseat it.
- 3. Slide supervisor module out of the slot.

F.3.2 Removing Supervisor Module Blank

The supervisor module blank has plastic latches.

- 1. Put on a grounded, anti-static ESD strap.
- 2. Grip the plastic handles to release the latch and remove the blank from the supervisor module slot you are going to populate.

You may want to save the blank for future use as needed. The blank is needed for the switch to operate normally if a supervisor module slot is not populated.

F.3.3 Installing Supervisor Module

You must make space for installing the module by removing an existing one (Removing Supervisor Module) or removing a blank (Removing Supervisor Module Blank) from a supervisor module slot available on the switch. Perform the following steps to install the module.

- 1. Put on a grounded, anti-static ESD strap.
- 2. Unpack the supervisor module to be installed.
- 3. Slide supervisor module into slot until it is completely seated.
- 4. Verify that the module is operating normally (Table 9: Supervisor Status LED States).

F.4 Linecards

The linecards are hot-swappable. They are accessible from the front of the switch. You must take into account that the linecard you are inserting is compatible with the switch and the linecard that you are replacing. Use the following procedure to remove and replace a linecard. If you are adding a new linecard, remove the blank from the linecard slot and install the new linecard. For the linecard locations on your

switch, refer to Front Panel. Figure F-1: CCS-75x Linecard Install shows linecards with the seating or ejector mechanisms along with some fully seated linecards.

Figure F-1: CCS-75x Linecard Install



- 1 Linecard
- 2 Ejector mechanism (lever and handle)
- 3 Ejector lever (linecard seated correctly)
- 4 Ejector lever (linecard not seated)

F.4.1 Removing a Linecard

Perform the following steps to remove a linecard.

- 1. Put on a grounded, anti-static ESD strap.
- 2. Move the left and right handle outwards until the ejector lever releases the linecard.
- 3. Slide the linecard out using care as the linecard could be heavy.

F.4.2 Removing Linecard Blank

The linecard blank has plastic latches.

- 1. Put on a grounded, anti-static ESD strap.
- 2. Grip the plastic handles to release the latch and remove the blank from the linecard slot you are going to populate.

You may want to save the blank for future use as needed. The blank is needed for the switch to operate normally if a linecard slot is not populated.

F.4.3 Installing a Linecard

You must make space for installing the linecard by removing an existing one (Removing Linecard) or removing a blank (Removing Linecard Blank) from a linecard slot available on the switch.

- 1. Put on a grounded, anti-static ESD strap.
- **2.** Unpack the linecard to be installed.
- **3.** Slide the linecard into the slot until the ejection lever goes inside the chassis and push gently until the linecard is seated completely.
- 4. Verify that the linecard is operating normally (Table 12: Linecard Status LED States).

Note: The ejector handle is perpendicular to the face when correctly installed.

F.5 Switchcards

The switchcards are hot-swappable and 1 + 1 redundant. They are accessible from the rear of the switch (Rear Panel). You must take into account that the switchcard you are inserting is compatible with the switch and the switchcard that you are replacing. Use the following procedure to remove and replace a switchcard. For the switchcard locations on your switch, refer to Rear Panel.

F.5.1 Removing Switchcard

Perform the following steps to remove a switchcard.

- 1. Put on a grounded, anti-static ESD strap.
- 2. Use the release handles of the switchcard to unseat it.
- 3. Pull the switchcard out gently once released.



Note: When the switchcard and fan assembly is removed, a metal cover swings into place (Figure F-2: 758 Rear View with One Switchcard Installed).

Figure F-2: 758 Rear View with One Switchcard Installed



1 SC2 cover

F.5.2 Installing Switchcard

You must make space for installing the switchcard by removing an existing one from a switchcard slot available on the switch unless an open slot is available.

- 1. Put on a grounded, anti-static ESD strap.
- 2. Unpack the switchcard to be installed.
- 3. Slide the switchcard into the slot until it is completely seated.
- 4. Verify that the switchcard is operating normally (Table 13: Switchcard Status LED States).

Figure F-3: 758 Switchcard Installation shows switchcard installation. The switchcard on the right is fully seated with the latch closed.

Figure F-3: 758 Switchcard Installation



- 1 Switchcard
- 2 Ejector mechanism (handle and latch)
- 3 Ejector (switchcard not seated)
- 4 Ejector latch (closed)

Regulatory Model Numbers

This section lists the Regulatory Model Numbers (RMNs), where applicable, for the product models for the switches described in this document.

Table 28: Regulatory Model Numbers and Product Numbers

Regulatory Model Number (RMN)	Product Number(s)
CCS-755	CCS-755
CCS-758	CCS-758

Taiwan RoHS Information

This section provides the Taiwan RoHS information for switches covered by this guide.

For the Taiwan BSMI RoHS Table, go to https://www.arista.com/assets/data/pdf/AristaBSMIRoHS.pdf.